



PRODUKTPROGRAM

RIBBÅTAR

2026 »

MODEL **700 STILE**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
699	280	1080	14

MODEL **650 STILE**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
650	260	580	12

MODEL **600 STILE**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
599	263	480	10

MODEL **570 STILE**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
570	255	400	9

MODEL **540 STILE**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
535	243	340	8

MODEL **500 STILE**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
495	230	305	8

Model	700 STILE	650 STILE	600 STILE	570 STILE	540 STILE	500 STILE
Max length (cm)	699	650	599	570	535	495
Internal length (cm)	624	605	550	480	459	417
Max width (cm)	280	260	263	255	243	230
Internal width (cm)	153	145	143	131	121	121
Construction height (cm)	93	92	92	80	80	80
Tube diameter (cm)	50÷58	50÷60	50÷60	50÷62	50÷62	51÷57
Motor shaft version	1 XL	1 XL	1 L	1 L	1 L	1 L
Number of compartments	6	5	5	5	5	5
Number of lockers	6	6	6	5	5	4
Dry weight ex motor, fittings, liquids (kg)	1080	580	480	400	340	305
People carrying capacity	14	12	10	9	8	8
Max carrying load (kg) (people, standard equipment, engine)	1380	1480	1150	1060	900	900
Inflation pressure (atm)	0,2	0,2	0,2	0,2	0,2	0,2
Max applicable power (kW/hp)	221 (300)	129 (175)	126 (171)	100 (136)	85 (115)	66 (90)
Recommended power (min/max hp)	200 / 225	115 / 150	80 / 115	70 / 115	60 / 100	50 / 80
Hull type	DEEP-V WITH REST SKIDS					
Hull material	GRP = DOUBLE MOULDED					
Internal hull colour	WHITE					
External hull colour	WHITE					
Fabric	NEOPRENE - HYPALON 1500 g/mq	NEOPRENE - HYPALON, 1300 g/mq				
Design category	B	C	C	C	C	C

Pour obtenir des informations sur les moteurs fournis en packages avec les bateaux **STILE LINE**, se référer au catalogue des moteurs hors-bords.

Les données figurant dans ce tableau doivent être considérées comme approximatives, **Selva S.p.A.** se réservant le droit de modifier les caractéristiques techniques, les matériaux, la construction, les poids, couleurs et les graphiques, sans avertissement préalable ni obligations.

Les Données indiquées dans ce tableau sont déterminés conformément aux règlements en vigueur au moment de la rédaction du catalogue et ils peuvent être modifiées suite à la modification des diverses normes techniques de référence. Nous vous invitons à demander la confirmation des données en vigueur au moment de l'achat.

Equipment	700 STILE	650 STILE	600 STILE	570 STILE	540 STILE	500 STILE
Handrails on fabric tubulars	S	S	S	S	S	S
Handrail in fabric on tubes	S	S	S	S	S	S
Pair of paddles	S	S	S	S	S	S
Inflating pump	S	S	S	S	S	S
Motor installation	S	S	S	S	S	S
Complete 'Stile Line' console ⁽¹⁾	S	S	S	S	S	S
Steering wheel "SELVA SPORT"	S	S	S	S	S	S
Driver's seat ⁽²⁾	N	N	N	N	N	S
Multifunctional driver's seat ⁽³⁾	S	S	S	S	S	N
Engine instruments	S	S	S	S	S	S
Instrument panel full extension	S	S	S	S	S	S
Switch panel with switches	S	S	S	S	S	S
Stern sofa convertible into sundeck	S	S	S	S	S	N
Bow sundeck cushions	S	S	S	S	S	S
Bow sundeck extension	N	S	S	S	S	S
Cushion for bow sundeck extension	N	S	S	S	S	S
Stern sundeck extension with cushion	S	S	N	N	N	N
Stile line cushions two-tone: Colorado/Gange	S	S	S	S	S	S
Foldable stainless steel ladder	O	O	O	O	O	O
Stern platforms in GRP with stainless steel ladder	O	O	O	O	O	N
Auxiliary motor support	O	O	O	O	O	O
Sun awning	O	O	O	O	O	O
"Twin-tube" stainless steel, telescopic, tilt-up rollbar with start lights and horn	O	O	O	O	O	O
Mooring cover	O	O	O	O	O	O
Built-in fuel tank installed with blower, delivery pipe with water/fuel separating filters and solenoid valves, filling pipe, breather pipe and fuel level gauge	S - 200 lt.	S - 175 lt.	S - 140 lt.	O - 140 lt.	O - 140 lt.	N
Complete shower system with integrated fresh water tank	S - 50 lt.	S - 40 lt.	S - 40 lt.	O - 40 lt.	N	N
GRP bow pulpit with electric winch, stainless steel anchor and chain	S	O	N	N	N	N
Immersion bilge pump	S	S	S	S	S	S
Hydraulic steering system	S	S	O	O	O	N

S = Standard O = Optional N = Not available

⁽¹⁾ Console complete with: stainless steel handrails, single lever remote control box, anatomic steering wheel, single-cable steering system, (hydraulic steering system for models 650 STILE e 700 STILE, antireflection windscreen, door with lock, front seat with cushion and access to locker underneath plus backrest cushion.

⁽²⁾ For model 500 STILE cushion seat with hinges and lock for access to stern locker.

⁽³⁾ For the 540 STILE to 700 STILE models = half upright driver's seat with cushion and access to lower locker.

Selva S.p.A. reserves the right to modify the technical characteristics, materials, construction, weights etc. without any forewarning or obligations.

MODEL **D.650 FAMILY SPECIAL**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
650	260	580	12

MODEL **D.650 FAMILY SPECIAL**



FAMILY AREA AT STERN

The aft deck easily converts into a comfortable 'U-shape sofa to create practical room as a large sunbed or where a large table can be fitted for leisurely meals.



MODEL **D.570 FB**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
570	255	400	9

MODEL **D.540**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
535	243	340	8

Model	D.650 FAMILY	D.570FB	D.540
Max length (cm)	650	570	535
Internal length (cm)	605	480	459
Max width (cm)	260	255	243
Internal width (cm)	145	131	121
Construction height (cm)	92	80	80
Tube diameter (cm)	50÷60	50÷62	50÷62
Motor shaft version	1 XL	1 L	1 L
Number of compartments	5	5	5
Number of lockers	6	5	5
Dry weight ex motor, fittings, liquids (kg)	580	400	340
People carrying capacity	12	9	8
Max carrying load (kg) (people, standard equipment, engine)	1480	1060	900
Inflation pressure (atm)	0,2	0,2	0,2
Max applicable power (kW/hp)	129 (175)	100 (136)	85 (115)
Recommended power (min/max hp)	115 / 150	70 / 115	60 / 100
Hull type	DEEP-V WITH REST SKIDS		
Hull material	GRP = DOUBLE MOULDED		
Internal hull colour	WHITE		
External hull colour	WHITE		
Fabric	NEOPRENE - HYPALON, 1300 g/sqm		
Design category	C	C	C

For information on engines in packages with **EVOLUTION LINE** boats please see the **Selva Marine** outboard engine catalogue.

The data in this table are to be considered as approximate and **Selva S.p.A.** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation.

The specifications given in this table are determined in accordance with regulations in force at the time of preparation of the catalogue and may have to be modified.

Please request confirmation of the data at time of purchase.

Equipment	D.650 FAMILY	D.570FB	D.540
	Evolution Special	Evolution	Evolution
TWIN COLOUR TUBE - WHITE/BLACK CARBON	S	N	N
Handrail in fabric on tubes	S	N	N
Pair of paddles	S	S	S
Inflating pump	S	S	S
Motor installation	S	S	S
Complete electrical system	S	S	S
Complete console ⁽¹⁾	S	S	S
Volante Special	S	N	N
Multi-purpose driving seat ⁽²⁾	S	S	S
Engine instrumentation	S	S	S
Instrument panel with carbon look	S	N	N
Stern sofa converts for sunbathing or to stretched legs seat	S	S	S
Bow sundeck cushions	S	S	S
Bow sundeck extension	S	S	S
Cushion for bow sundeck extension	S	S	S
Stern sundeck extension with cushion	S	N	N
Cushions in "special" double colour	S	N	N
Foldable stainless steel ladder	O	O	O
Stern platforms in GRP with stainless steel ladder	S	O	O
Auxiliary motor support	O	O	O
Sun awning	O	O	O
*Twin-tube" stainless steel, telescopic, tilt-up rollbar with start lights and horn	O	O	O
Mooring cover	O	O	O
Built-in fuel tank installed with blower, delivery pipe with water/fuel separating filters and solenoid valves, filling pipe, breather pipe and fuel level gauge	S - 175 lt.	O - 86 lt.	O - 86 lt.
Built in fibreglass fresh water tank with fitting for shower	S - 40 lt.	O - 40 lt.	N
GRP bow pulpit with electric winch, stainless steel anchor and chain	O	N	N
Immersion bilge pump	S	S	S
Hydraulic steering system	S	O	O

S = Standard O = Optional N = Not available

O/N = Optional for versions with single engine, Not available for versions with double engine

⁽¹⁾ Console complete with: stainless steel handrails, single lever remote control box, anatomic steering wheel, single-cable steering system, (hydraulic steering system for models D.650 Family) antireflection windscreen, door with lock, front seat with cushion and access to locker underneath plus backrest cushion.

⁽²⁾ Semi-upright driver's seat with cushion and access to lower locker

Selva S.p.A. reserves the right to modify the technical characteristics, materials, construction, weights etc. without any forewarning or obligations.

MODEL **600 PRO**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
599	259	460	14

MODEL **550 PRO**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
545	246	320	10

Model	600 PRO	550 PRO
Max length (cm)	599	545
Internal length (cm)	550	468
Max width (cm)	259	246
Internal width (cm)	143	121
Construction height (cm)	92	80
Tube diameter (cm)	50÷60	50÷62
Motor shaft version	1 L	1 L
Number of compartments	5	5
Number of lockers	4 / 5	3 / 4
Dry weight ex motor, fittings, liquids (kg)	460	320
People carrying capacity	14	10
Max carrying load (kg)	1510	1100
Inflation pressure (atm)	0,2	0,2
Max applicable power (kW/hp) (people, standard equipment, engine)	126 (171)	85 (115)
Recommended power (min/max hp)	80 / 115	60 / 100
Hull type	DEEP V WITH REST SKIDS	
Hull material	GRP DOUBLE MOULDED	
Internal hull colour	GREY	
External hull colour	GREY	
Fabric	NEOPRENE - HYPALON, 1300 g/mq	
EC standard design category	C	C

For information on engines in packages with **PROFESSIONAL LINE** boats, see outboard engine catalogue.

The data in this table are to be considered as approximate and Selva S.p.A. reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation.

The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified.

Please request confirmation of the data at time of purchase.

Equipment	600 PRO	550 PRO
Pair of paddles	S	S
Inflating pump	S	S
Motor installation	S	S
Complete electrical system	S	S
Complete console ^{(1) (2)}	S	S
Roller backrest seat for semi-erect driving with stainless steel support ⁽²⁾	S/N	S/N
Central semi-erect seat in fibreglass with access to internal locker ⁽²⁾	S/N	S/N
Front seat console with cushion and access to locker below	S	S/O
Rubber fabric anthracite coloured reinforcements on tubes	S	S
Rope handrails for double grip also in case of lifting on board	S	S
PVC protection on the bow	S	S
Engine instrumentation	S	S
Switch panel	O	O
Foldable stainless steel ladder	O	O
Auxiliary motor support	O	O
Sun awning	O	O
Mooring cover	O	O
<i>Built-in fuel tank installed in compliance with CE regulations with blower, delivery pipe with water/fuel separating filters and solenoid valves, filling pipe, breather pipe and fuel level gauge</i>	S - 135 lt.	O - 86 lt.
Immersion bilge pump	S	S
Hydraulic steering system	O	O

S = Standard O = Optional N = Not available S/N = Standard / not available depending on ordered boat type
S/O = Standard / optional depending on ordered boat type

⁽¹⁾ Console complete with stainless-steel handrail, single-lever remote control box, ergonomic steering wheel, single-cable steering, anti-reflection windscreen, door with lock, front seat with cushion and access to locker below plus backrest cushion (excluded 550 PRO with central console).

⁽²⁾ The 600 PRO and 550 PRO models are available in two versions, to be specified when ordering the boat, with central console and backrest seat in fibreglass or rear console and steel roller backrest seat.

Selva S.p.A. reserves the right to modify the technical characteristics, materials, construction, weights etc. without any forewarning or obligations.



SELVA MARINE NORDIC AB

OFFICE/DELIVERY ADDRESS

Stapelbädden 3-5

POSTAL ADDRESS

Kölsträckningen 5, 417 57 Göteborg, Sweden

info@selva.se | www.selva.se

VI HAR ÅTERFÖRSÄLJARE PÅ MÅNGA ORTER SE

WWW.SELVA.SE FÖR AKTUELL INFORMATION.